WEST Search History for Application 10799363

Creation Date: 2009031519:22

Query	DB	Op.	Plur.	Thes.	Date
(reus$3 with (api or application near programming near interface)) with (access$3 near (message or pay$1load))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(reus$3 with (api or application near programming near interface)) same (access$3 near (message or pay$1load))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(api or application near programming near interface) same (access$3 near (message or pay$1load))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(api or application near programming near interface) with (access$3 near (message or pay$1load))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(abstract$3 or transparen$2 or generic$4) with (access$3 near (message or pay$1load))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
access$3 with message near content same (abstract$3 or transparen$3 or api or application near programming near interface)	PGPB, USPT, USOC, EPAB, JPAB,	OR			03-15-2009

	DWPI, TDBD				
access$3 with (payload or message) same (abstract$3 or transparen$3 or api or application near programming near interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
messaging and (access$3 with (payload or message) same (abstract$3 or transparen$3 or api or application near programming near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
namespace and (messaging and access$3 with (payload or message) same (abstract$3 or transparen$3 or api or application near programming near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
access$3 near (payload or message) same (abstract$3 or transparen$3 or api or application near programming near interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
@pd<20040312 and (access$3 near (payload or message) same (abstract$3 or transparen$3 or api or application near programming near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
20050091635	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
reus$3 with (api or application near interfaces)	PGPB, USPT,	OR			03-15-2009

	USOC, EPAB, JPAB, DWPI, TDBD				
xpath and (reus$3 with (api or application near interfaces))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
reus$3 near (api or application near interfaces)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
xml and (reus$3 near (api or application near interfaces))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(creat$3 or defin$5) near (context adj object or message near context)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
xml and ((creat$3 or defin$5) near (context adj object or message near context))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
business and ((creat$3 or defin$5) near (context adj object or message near context))	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR			03-15-2009

	TDBD				
(context adj object or message near context) with repository	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(name or namespace) with (context adj object or message near context)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
xml and ((name or namespace) with (context adj object or message near context))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(name$1space) with (context adj object or message near context)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(name$1space) same (context adj object or message near context)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(rout$3 near configur$6) same (context adj object or message near context)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(rout$3 or dispatch$3) with (context adj object or message near context)	PGPB, USPT, USOC,	OR			03-15-2009

	EPAB, JPAB, DWPI, TDBD				
(xml or name$1space) and ((rout$3 or dispatch$3) with (context adj object or message near context))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
message near name$1space	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
message near (rout$3 or dispatch$3) same name$1space	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
message near (rout$3 or dispatch$3) same context	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
xml and (message near (rout$3 or dispatch$3) same context)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
@pd<20040312 and (xml and message near (rout$3 or dispatch$3) same context)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009

(message near context or context adj object) same (payload or (message near (data or content)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
xml and ((message near context or context adj object) same (payload or (message near (data or content))))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(message near context or context adj object) same (api or application near interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
xml and ((message near context or context adj object) same (api or application near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(message near (api or application near interface or interface)) same (message near (type or data near type or xsdl))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(message near context or context adj object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
((message near (api or application near interface or interface)) same (message near (type or data near type or xsdl))) and ((message near context or context adj object))	PGPB, USPT, USOC, EPAB,	OR			03-15-2009

	JPAB, DWPI, TDBD				
(message near context or context adj object) same (api or application near interface or interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
@pd<20040312 and ((message near context or context adj object) same (api or application near interface or interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
xml and (@pd<20040312 and (message near context or context adj object) same (api or application near interface or interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
abstract$3 with message near (data or content or repository or stor$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
@pd<20040312 and (abstract$3 with message near (data or content or repository or stor$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
re$1us$1 with (api or application near interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
context near object same messag$3		OR			03-15-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(re$1us$1 with (api or application near interface)) and (context near object same messag$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
messag$3 and (re$1us$1 with (api or application near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
@pd<20040312 and (messag$3 and re$1us$1 with (api or application near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(application near interface or api or dll) same(access$3 near (message or pay$1load))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
@pd<20040312 and ((application near interface or api or dll) same(access$3 near (message or pay$1load)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
context near object same re$1us$3	PGPB, USPT, USOC, EPAB,	OR			03-15-2009

	JPAB, DWPI, TDBD				
context abj object with repository	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
run$1time with messag$3 and (context abj object with repository)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
context with (abstract$3 or re$1us$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(run$1time with messag$3 and context abj object with repository) and (context with (abstract$3 or re$1us$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
context abj object near repository	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
@pd<20040312 and (context abj object near repository)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
context with receiv$3 near application		OR			03-15-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
context abj object and (context with receiv$3 near application)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(context abj object) and (context with receiv$3 near application)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(context adj object) and (context with receiv$3 near application)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
context near object same (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
abstract$3 with message	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
context near object with (api or application near interface)	PGPB, USPT, USOC, EPAB,	OR			03-15-2009

	JPAB, DWPI, TDBD				
context near object same (api or application near interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(abstract$3 with message) and (context near object same (api or application near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
messag$3 and (context near object same (api or application near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
@pd<20040314 and (messag$3 and context near object same (api or application near interface))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
context near object with messag$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
@pd<20040314 and (context near object with messag$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
677184.pn.		OR			03-15-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
6779184.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
business near message with (context or container or envelope)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
business near message with (api or application near interface or abstract$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
((encapsulat$3 or wrap$4) near messag$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
run$1time adj engine	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(((encapsulat$3 or wrap$4) near messag$4)) and (run$1time adj engine)	PGPB, USPT, USOC, EPAB,	OR			03-15-2009

	JPAB, DWPI, TDBD				
run$1time adj engine with (messag$3 or business near process)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
@pd<20040312 and (run$1time adj engine with (messag$3 or business near process))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
run$1time with (messag$3 or business near process) near java near application	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
run$1time with (messag$3 or business near process) near (java or application)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
@pd<20040312 and (run$1time with (messag$3 or business near process) near (java or application))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
((web or application) near server) with run$1time and messag$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(abstract$3 or transparen$2 or wrap$4) near message		OR			03-15-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(((web or application) near server) with run$1time and messag$3) and ((abstract$3 or transparen$2 or wrap$4) near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
BEUNINGS-FRANK!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			03-15-2009
BEUNINGS-FRANK!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			03-15-2009
HILLENBRAND-THEA!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			03-15-2009
HILLENBRAND-THEA!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			03-15-2009
SCHLARB-UWE!	TDBD, DWPI, JPAB, EPAB,	OR			03-15-2009

	USOC, USPT, PGPB				
SCHLARB-UWE!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			03-15-2009
(705/1 l705/2 l705/3 l705/4 l705/5 l705/6 l705/7 l705/8 l705/9 l705/10 l705/11).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(705/26 l705/27).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(709/201 l709/202 l709/203 l709/204 l709/205 l709/206 l709/207 l709/217 l709/218 l709/219).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(715/513 l715/733 l715/734 l715/737 l715/738 l715/740 l715/749 l715/760).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(719/313 l719/314 l719/315).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
		OR			03-15-2009

Query	Database	Op			Date
((705/1 l705/2 l705/3 l705/4 l705/5 l705/6 l705/7 l705/8 l705/9 l705/10 l705/11).ccls.) or ((705/26 l705/27).ccls.) or ((709/201 l709/202 l709/203 l709/204 l709/205 l709/206 l709/207 l709/217 l709/218 l709/219).ccls.) or ((715/513 l715/733 l715/734 l715/737 l715/738 l715/740 l715/749 l715/760).ccls.) or ((719/313 l719/314 l719/315).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(transparen$2 or abstract$3 or interface near application or api) with (message near (content or context or object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
re$1us$3 with (message near (content or context or object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
@pd<20040312 and ((transparen$2 or abstract$3 or interface near application or api) with (message near (content or context or object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
namespace and (@pd<20040312 and (transparen$2 or abstract$3 or interface near application or api) with (message near (content or context or object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(name and namespace) with (message near (content or context or object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(transparen$2 or abstract$3 or interface near application or api) with (access near message)	PGPB, USPT, USOC, EPAB,	OR			03-15-2009

	JPAB, DWPI, TDBD				
namespace and ((transparen$2 or abstract$3 or interface near application or api) with (access near message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(message near (content or context or object)) with (datastore or database or storage or repository)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
((transparen$2 or abstract$3 or interface near application or api) with (access near message)) and ((message near (content or context or object)) with (datastore or database or storage or repository))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(transparen$2 or abstract$3 or interface near application or api) near message	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
((message near (content or context or object)) with (datastore or database or storage or repository)) and ((transparen$2 or abstract$3 or interface near application or api) near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
@pd<20040312 and ((message near (content or context or object)) with (datastore or database or storage or repository) and (transparen$2 or abstract$3 or interface near application or api) near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
defin$5 with ((context or object) near message)		OR			03-15-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
namespace and (defin$5 with ((context or object) near message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
((705/1 l705/2 l705/3 l705/4 l705/5 l705/6 l705/7 l705/8 l705/9 l705/10 l705/11).ccls. or (705/26 l705/27).ccls. or (709/201 l709/202 l709/203 l709/204 l709/205 l709/206 l709/207 l709/217 l709/218 l709/219).ccls. or (715/513 l715/733 l715/734 l715/737 l715/738 l715/740 l715/749 l715/760).ccls. or (719/313 l719/314 l719/315).ccls.) and (defin$5 with ((context or object) near message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
xml near namespace and ((705/1 l705/2 l705/3 l705/4 l705/5 l705/6 l705/7 l705/8 l705/9 l705/10 l705/11).ccls. or (705/26 l705/27).ccls. or (709/201 l709/202 l709/203 l709/204 l709/205 l709/206 l709/207 l709/217 l709/218 l709/219).ccls. or (715/513 l715/733 l715/734 l715/737 l715/738 l715/740 l715/749 l715/760).ccls. or (719/313 l719/314 l719/315).ccls. and defin$5 with ((context or object) near message))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
xml near namespace with messag$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
xml near tag with ((defin$5 or receiver or recepient) near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
xml near tag with (defin$5 near ((receiver or recepient) near message))	PGPB, USPT, USOC,	OR			03-15-2009

	EPAB, JPAB, DWPI, TDBD				
xml near tag with ((receiver or recepient) near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
xml near tag with ((receiver or recipient) near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
xml near tag with (abstract$3 or api or application near interface or defin$5)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
namespace and (xml near tag with (abstract$3 or api or application near interface or defin$5))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
@pd<20040312 and (namespace and xml near tag with (abstract$3 or api or application near interface or defin$5))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
((rout$3 or pass$3 or exchang$3) near messag$3) with rules	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009

((705/1 |705/2 |705/3 |705/4 |705/5 |705/6 |705/7 |705/8 |705/9 |705/10 705/11).ccls. or (705/26 705/27).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (715/513 |715/733 |715/734 |715/737 |715/738 |715/740 |715/749 |715/760).ccls. or (719/313 |719/314 |719/315).ccls.) and (((rout$3 or pass$3 or exchang$3) near messag$3) with rules)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
xml and ((705/1 |705/2 |705/3 |705/4 |705/5 |705/6 |705/7 |705/8 |705/9 |705/10 |705/11).ccls. or (705/26 |705/27).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (715/513 |715/733 |715/734 |715/737 |715/738 |715/740 |715/749 |715/760).ccls. or (719/313 |719/314 |719/315).ccls. and (rout$3 or pass$3 or exchang$3) near messag$3) with rules)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(abstract$3 or api or application near interface) near message	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
(xml and (705/1 |705/2 |705/3 |705/4 |705/5 |705/6 |705/7 |705/8 |705/9 705/10 |705/11).ccls. or (705/26 |705/27).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (715/513 |715/733 |715/734 |715/737 |715/738 |715/740 |715/749 |715/760).ccls. or (719/313 |719/314 |719/315).ccls. and ((rout$3 or pass$3 or exchang$3) near messag$3) with rules) and ((abstract$3 or api or application near interface) near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
business near messag$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
((705/1 |705/2 |705/3 |705/4 |705/5 |705/6 |705/7 |705/8 |705/9 |705/10 |705/11).ccls. or (705/26 |705/27).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (715/513 |715/733 |715/734 |715/737 |715/738 |715/740 |715/749 |715/760).ccls. or (719/313 |719/314 |719/315).ccls.) and (business near messag$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009

((rout$3 or pass$3 or exchang$3) near messag$3) and ((705/1 l705/2 l705/3 l705/4 l705/5 l705/6 l705/7 l705/8 l705/9 l705/10 l705/27).ccls. or (705/26 l705/27).ccls. or (709/201 l709/202 l709/203 l709/204 l709/205 l709/206 l709/207 l709/217 l709/218 l709/219).ccls. or (715/513 l715/733 l715/734 l715/737 l715/738 l715/740 l715/749 l715/760).ccls. and business near messag$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
xml and (((rout$3 or pass$3 or exchang$3) near messag$3) and (705/1 l705/2 l705/3 l705/4 l705/5 l705/6 l705/7 l705/8 l705/9 l705/10 l705/11).ccls. or (705/26 l705/27).ccls. or (709/201 l709/202 l709/203 l709/204 l709/205 l709/206 l709/207 l709/217 l709/218 l709/219).ccls. or (715/513 l715/733 l715/734 l715/737 l715/738 l715/740 l715/749 l715/760).ccls. or (719/313 l719/314 l719/315).ccls. and business near messag$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
((abstract$3 or api or application near interface) near message) and (xml and ((rout$3 or pass$3 or exchang$3) near messag$3) and (705/1 l705/2 l705/3 l705/4 l705/5 l705/6 l705/7 l705/8 l705/9 l705/10 l705/11).ccls. or (705/26 l705/27).ccls. or (709/201 l709/202 l709/203 l709/204 l709/205 l709/206 l709/207 l709/217 l709/218 l709/219).ccls. or (715/513 l715/733 l715/734 l715/737 l715/738 l715/740 l715/749 l715/760).ccls. or (719/313 l719/314 l719/315).ccls. and business near messag$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
2002102438	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
2004102438	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
WO-2004102438-A2.did.	EPAB	OR			03-15-2009
US-20050193061-A1.did.	PGPB	OR			03-15-2009
1513302	PGPB, USPT, USOC, EPAB, JPAB,	OR			03-15-2009

	DWPI, TDBD				
03036881	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
03036887	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			03-15-2009
3036887	EPAB	OR			03-15-2009